



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

**Material Safety Data  
Sheet**

**Uniplas, Inc.**

Section 1

Uniplas, Inc.  
1145 Sutton Street  
Howell, MI 48843

Telephone Numbers: (517) 295-4196  
Product Information (Uniplas, Inc.)  
Transportation Emergency – Chemtrec:  
(800) 424-9300

MATERIAL IDENTIFICATION

<b>PRODUCT NAME:</b>	LCA® PPCO 1020, LCA® PPCO 2020, LCA® IPP 2020 UV, LCA® PPCO 2034, LCA® PP CO3010, LCA® PPCO 10010		
<b>CHEMICAL NAME:</b>	Polypropylene/Ethylene Copolymer		
<b>CAS NO.:</b>	Polypropylene/Ethylene Copolymer	9010-79-1	96.00%
	Carbon Black (if Black)	1333-86-4	4.00%
<b>PRODUCT USE:</b>	Injection Molding		

Section 2

**HAZARDOUS INGREDIENTS (Additives not hazardous by 29 CFR 1910.1200)**

<b>Identity</b>	<b>CAS Number</b>	<b>Concentration</b>

Section 3

HEALTH HAZARD DATA

Acute or immediate effects:

**Routes of entry and systems:** Inhalation, Skin contact, Eye contact

<b>Ingestion:</b>	Ingestion of this material is not likely to be harmful
<b>Skin:</b>	Unlikely to cause skin irritation or injury. Molten material causes thermal burns. This material is unlikely to pass into the body through skin.



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

**Material Safety Data  
Sheet**

**Uniplas, Inc.**

<b>Eye:</b>	Dust can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes. Molten material causes thermal burns.
<b>Inhalation:</b>	This material is a dust, or may produce dust. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

---

Section 4

**EMERGENCY FIRST AID**

**Eyes:** IF symptoms develop, move individual away from exposure, and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist, or there is any visual difficulty, seek medical attention. If eye contact with molten material occurs, hold eyelids apart and flush eyes gently with cool water. Seek immediate medical attention.

**Skin:** First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water. If skin contact with molten material occurs, flush exposed area with cool water. Do not forcible remove material adhering to the skin. Seek immediate medical attention.

**Inhalation:** First aid is not normally required. If symptoms develop, move individual away from exposure, and into fresh air. If symptoms persist, seek medical attention.

**Ingestion:** First aid is not normally required. If symptoms develop, seek medical attention

**Chronic Effects:**

**Medical Conditions generally aggravated by this material:** Preexisting disorders of the following organs or organ systems may be aggravated by exposure to this material: Lung (i.e. Asthma-like conditions).

---

Section 5

**FIRE AND EXPLOSION HAZARD DATA**

**Flash Ignition Temperature: N/A**



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

## Material Safety Data Sheet

Uniplas, Inc.

**Unusual Fire/Explosion Hazards:** No special fire hazards are known to be associated with this product.

**Hazardous Combustion Products:** May form acrolein (C<sub>3</sub>H<sub>4</sub>O), aldehydes, carbon dioxide (CO<sub>2</sub>), and carbon monoxide (CO), formaldehyde (CH<sub>2</sub>O), ketones, and various hydrocarbons.

**Special Fire Fighting Instructions:** Wear full firefighting turnout gear (full bunker gear), and a respiratory protection (SCBA).

**Extinguishing Media:** Foam, Water Fog, Carbon Dioxide (CO<sub>2</sub>), Dry Chemical

---

### Section 6

#### ACCIDENTAL RELEASES

**Spill or Release:** Thoroughly sweep and/or shovel material (depending on spill size) into containers for disposal or recovery. Plastic pellets may present a slipping hazard when spilled on walking surfaces.

---

### Section 7

#### STORAGE CONDITIONS

**NORMAL HANDLING:** No adverse health effects are anticipated from the product at room temperature. However, at process temperatures, the product can emit fumes and vapors that may cause irritation of the eyes and respiratory tract. Any exposure will depend upon processing technique and temperature, volume processed, and the effectiveness of exhaust ventilation provided for the process. Effects of chronic exposure to off-gases at processing temperatures have not been fully evaluated. Generally, flame retardant additives and pigment additives are encapsulated in an impervious plastic matrix. These additives are not expected to present a hazard. Pellets may build up static electricity when being transferred from one container to another. Mechanical handling equipment can cause formation of dusts. Maintain good housekeeping. Dust layers should not be permitted to accumulate in order to avoid any potential for dust explosion hazards.

Storage Temperature (Min/Max):

Shelf Life:

Special Sensitivity:

#### **STORAGE RECOMMENDATIONS:**

---



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

**Material Safety Data  
Sheet**

**Uniplas, Inc.**

---

Section 8

PROTECTION INFORMATION

**Eye:** Wear safety glasses in compliance with OSHA regulations.

**Skin:** Consult your safety products supplier for proper protective equipment to use in thermal processing operations. Not normally required for handling of product. Wear normal work clothing covering arms and legs. Other protective equipment: Consult your safety products supplier for proper protective equipment to use for thermal processing operations.

**Ventilation:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure (from known, suspected or apparent adverse effects).

**Respirator:** If overexposure has been determined or documented, a NIOSH/MSHA jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified conditions. Engineering or administrative controls should be implemented to reduce exposure.

**Additional Protective Measures:**

---

Section 9

PHYSICAL/CHEMICAL DATA

**Appearance:** Pellets; translucent to white

**Odor:** Slight waxy

**Melting Point:**

**Solubility in Water:** Insoluble

**Volatile Content %:** < 0.4%

**Specific Gravity:** 0.880-0.920 @ 77F

---

Section 10

HAZARDOUS REACTIVITY

**Stability at Room Temperature:** Stable

**Materials to Avoid:** Strong oxidizing agents



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

## Material Safety Data Sheet

Uniplas, Inc.

**Conditions to Avoid:**

**Decomposition Temperature:**

**Decomposition Products:** May form acrolein (C<sub>3</sub>H<sub>4</sub>O), aldehydes, carbon dioxide (CO<sub>2</sub>), and carbon monoxide (CO), formaldehyde (CH<sub>2</sub>O), ketones, and various hydrocarbons.

---

Section 11

TOXICOLOGICAL INFORMATION

**Toxicity Data for:** PP UF CO

**Acute Toxicity**

No Data

**Medical Conditions Prone to Aggravation by Exposure:** Preexisting disorders of the lungs (asthma-like conditions).

**Carcinogenicity:** This material is not listed as a carcinogen by the International Agency for Research on Cancer, the National Toxicology Program, or the Occupational Safety and Health Administration

NTP –

IARC –

OSHA -

---

Section 12

ECOLOGICAL INFORMATION

**No ecological information available**

---

Section 13

DISPOSAL

**Waste Disposal:** Dispose of in accordance with all applicable local, state, and federal regulations.

---

Section 14



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

**Material Safety Data  
Sheet**

**Uniplas, Inc.**

TRANSPORT INFORMATION

**DOT Hazard Class:** Non-regulated by DOT  
**Technical Shipping Name:**  
**Freight Class Bulk:**  
**Freight Class Package:**  
**Product Label:**

The transport information may vary with the container and mode of shipment.

Section 15

REGULATORY INFORMATION

**OSHA Status:**

SARA TITLE III:

**Section 302 – Extremely Hazardous Substances:** None  
**Section 311/312 Hazard Categories:** Immediate Health Hazard  
**Section 313 Toxic Chemicals:** None  
**RCRA Status:** None

**United States TSCA Status:** The intentional ingredients of this product are listed.

STATE RIGHT TO KNOW LAWS – The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements, contact the appropriate agency in your state

Component Name	
CAS Number	Concentration

**PENNSYLVANIA:**

None

**CALIFORNIA:**

None

**SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER:**

None



**MSDS:** LCA®  
Polypropylene  
Copolymer Unfilled

**Material Safety Data  
Sheet**

**Uniplas, Inc.**

---

**SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM:**

None

**HMIS Rating**

0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Health	1
Flammability	0
Reactivity	0
PPE	
# Acute *Chronic	

---

Section 16

**MISCELLANEOUS INFORMATION**

The information set forth herein has been gathered from standard reference materials and/or supplier test data and is, to the best knowledge and belief of Uniplas, Inc., accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and it is not suggested or guaranteed that the hazard precautions or procedures mentioned are the only ones that exist. Uniplas, Inc. makes no warranties, expressed or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.

**END OF MSDS**